

Introduction to L^AT_EX

A document preparation system

V. Sasi Kumar

Free Software Foundation of India

Prepared using L^AT_EX

L^AT_EX is a document preparation system
It helps you to:

- **typeset a document**
- **create ToC, table of figures, index, etc.**
- **create good-looking equations**
- **cite references properly and list them**
- **manage cross-references**

and more ...

L^AT_EX is not an application, like a Word processor

L^AT_EX is not an application, like a Word processor

It is more like a programming language

L^AT_EX is not an application, like a Word processor

It is more like a programming language

You prepare a text file and then compile it

L^AT_EX is really a set of macros for the T_EX system created by Prof. Donald Knuth

L^AT_EX was created by Leslie Lamport

There are other similar systems also, such as ConTeXt and XeTeX.

**L^AT_EX files are simply text files with commands embedded
along with the content**

L^AT_EX files are simply text files with commands embedded along with the content

L^AT_EX could also be compared to a Markup language like HTML

L^AT_EX files are simply text files with commands embedded along with the content

L^AT_EX could also be compared to a Markup language like HTML

Let us look at a sample document

Here is how we can write a simple \LaTeX file:

```
\documentclass[a4paper,12pt]{article}
```

```
\begin{document}
```

The true spirit of delight, the exaltation, the sense of being more than man, which is the touchstone of the highest excellence, is to be found in Mathematics as surely as in poetry...

```
\end{document}
```

Let us save this file as, say, `mydoc.tex`

Let us save this file as, say, `mydoc.tex`

We can then compile this file using the command

Let us save this file as, say, `mydoc.tex`

We can then compile this file using the command

```
latex mydoc.tex
```

Let us save this file as, say, `mydoc.tex`

We can then compile this file using the command

```
latex mydoc.tex
```

The result will be a file called `mydoc.dvi`

The `.dvi` file can be converted to a postscript file with the command:

```
dvips mydoc
```

or to a pdf file using the command:

```
dvipdf mydoc
```

Instead, we could simply do

```
pdflatex mydoc.tex
```

and get a pdf file directly

A L^AT_EX document normally has two parts:

1. a preamble — what comes before the `\begin{document}` command
2. the body — what comes between `\begin{document}` and `\end{document}`

The preamble contains document specifications and list of packages used. Example:

```
\documentclass[a4paper,12pt]{article}
\usepackage[hmargin=1in,vmargin=1in]{geometry}
\usepackage{color}
\usepackage{graphicx}
\usepackage{fancyhdr}
\cfoot{}
\rhead{\thepage}
```

Packages make it easier to do things.

Packages make it easier to do things.

For instance, the **geometry** package makes it easy to set margins:

```
\usepackage[vmargin=1in,hmargin=1in]{geometry}
```

There are several document classes:

- article
- report
- book
- letter
- beamer (for presentations)

There are several document classes:

- article
- report
- book
- letter
- beamer (for presentations)

..... and so on. And one can create one's own class too.

There are several document classes:

- article
- report
- book
- letter
- beamer (for presentations)

..... and so on. And one can create one's own class too.

Each has its own features.

LaTeX commands start with a backslash (\). They are of the form:

```
command [options]{arguments}
```

L^AT_EX commands start with a backslash (\). They are of the form:

```
command [options]{arguments}
```

For example:

```
\includegraphics[scale]{path/filename}
```


Just as in a programming language, there are special characters in L^AT_EX too.

Just as in a programming language, there are special characters in \LaTeX too. These are:

\backslash	backslash, used for commands
$\{ \}$	braces, used for command arguments
$\%$	percent, to mark comments
$\$$	dollar sign, to denote math typesetting
\wedge	math superscript
$-$	math subscript
$\&$	ampersand, to separate columns in tables
$\#$	hash, macro parameters

Just as in a programming language, there are special characters in LaTeX too. These are:

<code>\</code>	backslash, used for commands
<code>{}</code>	braces, used for command arguments
<code>%</code>	percent, to mark comments
<code>\$</code>	dollar sign, to denote math typesetting
<code>^</code>	math superscript
<code>_</code>	math subscript
<code>&</code>	ampersand, to separate columns in tables
<code>#</code>	hash, macro parameters

They cannot be used directly in the body

L^AT_EX is especially good for structured documents. It supports commands like

- `\part`
- `\chapter`
- `\section`
- `\subsection`

depending on the documentclass

L^AT_EX uses *environments* for different purposes:

- `lists`
- `quotations`
- `figures`
- `tables`
- `equations`

Environments begin with a `\begin` command and end with an `\end` command:

```
\begin{tabular}{r|lp{3cm}}  
  \hline\hline\\  
  & {\bf Planet} & {\bf Atmosphere}\\  
  \hline \hline  
  1 & Mercury & No atmosphere\\  
  2 & Venus & Heavy atmosphere \\  
  \hline\hline  
\end{tabular}
```

This is how the table would look

1	Planet	Atmosphere
1	Mercury	No atmo- sphere
2	Venus	Heavy atmosphere

Long Table

A table like this will not flow beyond a page

If you need a table that goes beyond a page,

you need to use a `longtable`

The Figure environment is another example:

The Figure environment is another example:

```
\begin{figure}  
\includegraphics[scale=scale]{\path\filename.ps}  
\caption{This is the figure caption.}  
\end{figure}
```

To insert a graphics file, add the statement `\usepackage{graphics}` in the preamble. The graphics file needs to be a .ps or an .eps file. Then you can compile using the command `latex <filename>`.

To insert a graphics file, add the statement `\usepackage{graphics}` in the preamble. The graphics file needs to be a .ps or an .eps file. Then you can compile using the command `latex <filename>`.

You could, instead, add the statement `\usepackage{graphicx}` in the preamble and use the command `pdflatex <filename>` to directly get a pdf file. In this case, you can use graphics files in different formats, such as jpeg, png, pdf, etc.

A LaTeX document can be created using any text editor. But, there are editors that facilitate this. Examples are:



A **LaTeX** document can be created using any text editor. But, there are editors that facilitate this. Examples are:

GNU/Linux:

- GNU Emacs
- Kile
- Gedit
- TeXmacs



A L^AT_EX document can be created using any text editor. But, there are editors that facilitate this. Examples are:

GNU/Linux:

- GNU Emacs
- Kile
- Gedit
- T_EXmacs

MS Windows:

- WinEdit

This is just an introduction to basic \LaTeX .

\LaTeX intro

There is a lot more to learn, and the learning curve is admittedly steep

But, hopefully, you will find it interesting and convenient once you learn

In the next session, we will see how to write mathematics in \LaTeX like, for example, the statement:

Thus, $\lim_{x \rightarrow \infty} \int_0^x \frac{\sin x}{x} dx = \frac{\pi}{2}$ and so, by definition,

$$\int_0^{\infty} \frac{\sin x}{x} dx = \frac{\pi}{2}$$

Thank You

Merci

Danke

Grazie

(This presentation is distributed under the Creative Commons Attribution Share Alike Licence. Anyone may use this presentation anywhere in its original or modified form provided this note is also included. Details about the licence may be seen at <http://creativecommons.org/about/licenses/by-sa/2.0>.)

This presentation was created using L^AT_EX . The source code can be obtained from the author (sasi.fsf@gmail.com).

