

Scilab Manual for  
Digital Image Processing  
by Dr B.Chandra Mohan  
Electronics Engineering  
Bapatla Engineering College<sup>1</sup>

Solutions provided by  
Mr R.Senthilkumar- Assistant Professor  
Electronics Engineering  
Institute of Road and Transport Technology

April 26, 2024

<sup>1</sup>Funded by a grant from the National Mission on Education through ICT,  
<http://spoken-tutorial.org/NMEICT-Intro>. This Scilab Manual and Scilab codes  
written in it can be downloaded from the "Migrated Labs" section at the website  
<http://scilab.in>



# Contents

<b>List of Scilab Solutions</b>	<b>4</b>
<b>1 Histogram display and histogram equalization</b>	<b>6</b>
<b>2 Kernel processing on images leading to image enhancement</b>	<b>10</b>
<b>3 Display of 2D filters frequency responses and processing the images using these filters</b>	<b>14</b>
<b>4 Implementation of Airthmetic Coding for images</b>	<b>18</b>
<b>5 Basic JPEG algorithm implementation</b>	<b>20</b>
<b>6 DPCM encoding and decoding of images</b>	<b>25</b>
<b>7 Simple image watermarking algorithms using LSB substitution</b>	<b>30</b>
<b>8 Simple content based image retrieval using various distance metrics</b>	<b>36</b>
<b>9 Image segmentation algorithms using Snakes</b>	<b>41</b>
<b>10 Color images manipulations, reading and writing of color images</b>	<b>44</b>
<b>11 Color image enhancements</b>	<b>47</b>
<b>12 Color image histogram manipulation</b>	<b>51</b>

<b>13 LOG Masks implementation for gray and color images</b>	<b>55</b>
<b>14 Special effects implementation on grey and color images</b>	<b>57</b>
<b>15 Simple video reading and writing .avi formats and manipulation of video frames</b>	<b>62</b>

# List of Experiments

Solution 1.1	Exp1 . . . . .	6
Solution 2.1	Exp2 . . . . .	10
Solution 3.1	Exp3 . . . . .	14
Solution 4.1	Exp4 . . . . .	18
Solution 5.1	Exp5 . . . . .	20
Solution 6.1	Exp6 . . . . .	25
Solution 7.1	Exp7 . . . . .	30
Solution 8.1	Exp8 . . . . .	36
Solution 9.1	Exp9 . . . . .	41
Solution 10.1	Exp10 . . . . .	44
Solution 11.1	Exp11 . . . . .	47
Solution 12.1	Exp12 . . . . .	51
Solution 13.1	Exp13 . . . . .	55
Solution 14.1	Exp14 . . . . .	57
Solution 15.1	Exp15a . . . . .	62
Solution 15.2	Exp15b . . . . .	63
AP 1	Rotate Image 90 degree . . . . .	66
AP 2	Histogram of Gray images . . . . .	67
AP 3	Image Enhancement . . . . .	67
AP 4	Inverse Zig Zag scanning of pixels . . . . .	69
AP 5	Zig Zag Scanning of Pixels . . . . .	70
AP 6	2D Fast Fourier Trasnform . . . . .	70
AP 7	Inverse 2D Fast Fourier Transform . . . . .	71

# List of Figures

1.1	Exp1	8
1.2	Exp1	9
2.1	Exp2	12
2.2	Exp2	13
3.1	Exp3	16
3.2	Exp3	17
6.1	Exp6	28
6.2	Exp6	29
7.1	Exp7	34
7.2	Exp7	35
8.1	Exp8	39
8.2	Exp8	40
11.1	Exp11	49
11.2	Exp11	50
12.1	Exp12	53
12.2	Exp12	54
14.1	Exp14	60
14.2	Exp14	61

# Experiment: 1

## Histogram display and histogram equalization

Scilab code Solution 1.1 Exp1

```
1 //Program 1 Histogram display and histogram  
equalization  
2 //Software version  
3 //OS Windows7  
4 //Scilab5.4.1  
5 //Image Processing Design Toolbox 8.3.1-1  
6 //Scilab Image and Video Processing toolbox  
0.5.3.1-2  
7 clc;  
8 clear;  
9 close;  
10 //a=imread('C:\Users\senthilkumar\Desktop\  
Chandra_Mohan_LAB\Digital_Image_ProcessingLab\  
tire.tif');// Image Path  
11 a=imread('C:\Users\senthilkumar\Desktop\  
Chandra_Mohan_LAB\Digital_Image_ProcessingLab\  
tire.jpeg')  
12 [m n]=size(a);  
13 for i=1:256
```

```

14     b(i)=length(find(a==(i-1)));
15 end
16 pbb=b/(m*n);
17 pb(1)=pbb(1);
18 for i=2:256
19     pb(i)=pb(i-1)+pbb(i);
20 end
21
22 s=pb*255;
23 sb=uint8(round(s));
24 index =0;
25 for i=1:m
26     for j=1:n
27         index = double(a(i,j))+1; //convert it to
28             double
29             //otherwise index = 255+1 =0
30             hea(i,j)= sb(index); //histogram equalization
31     end
32 end
33 figure,
34 ShowImage(a,'Original Image') //IPD toolbox
35 title('Original Image')
36 figure
37 plot2d3('gnn',[1:256],b)
38 title('Histogram of the Image')
39 figure
40 ShowImage(hea,'Image after Histogram equalization')
41 //IPD toolbox
42 title('Image after Histogram equalization')

```

---

**Original Image**



Figure 1.1: Exp1




Figure 1.2: Exp1

## Experiment: 2

### Kernel processing on images leading to image enhancement

Scilab code Solution 2.1 Exp2

```
1 //Program 2. Kernel processing on images leading to
   image enhancement.
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1-1
6 //Scilab Image and Video Processing toolbox
   0.5.3.1-2
7 clc
8 clear
9 close
10 a=imread('C:\Users\senthilkumar\Desktop\
   Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
   cktnoise.jpeg');//SIVP toolbox
11 ks=input('enter the size of the kernel 1 for 1 1 3
   for 3 3 ...');//kernel size 3x3
12 [m n]=size(a);
13
14 a1=zeros(m+ks-1,n+ks-1);
```

```

15 [m1 n1]=size(a1);
16 x=floor(ks/2);
17 a1(1+x:m1-x,1+x:n1-x)=a;
18 b=[];
19 c=[];
20
21 for i=1+x:m1-x
22     for j=1+x:n1-x
23         t=a1(i-x:i+x,j-x:j+x);
24         men=sum(sum(t))/(ks*ks);
25         med=median(t(:));
26         b(i-x,j-x)=men;
27         c(i-x,j-x)=med;
28     end
29 end
30
31 figure
32 ShowImage(a,'Noised image(before enhancement)' );//IPD toolbox
33 title('Noised image(before enhancement)' );
34 figure
35 ShowImage(uint8(b),'enhancement with mean filtering' );
36 title('enhancement with mean filtering' );
37 figure
38 ShowImage(uint8(c),'enhancement with median
filtering');//IPD toolbox
39 title('enhancement with median filtering' );
40 //RESULT
41 //enter the size of the kernel 1 for 1 1 3 for 3 3
...3

```

---

Noised image(before enhancement)




Figure 2.1: Exp2

enhancement with mean filtering




Figure 2.2: Exp2

## Experiment: 3

### Display of 2D filters frequency responses and processing the images using these filters

check Appendix AP 6 for dependency:

`fft2d.sce`

check Appendix AP 7 for dependency:

`ifft2d.sce`

#### Scilab code Solution 3.1 Exp3

```
1 //Program 3: Display of 2D filters frequency
    responses and processing the images using these
    filters
2 //Reference: "Digital Image Processing",Dr.S.
    Jayaraman ,S.Esakkirajan ,T.Veerakumar ,TMH,2011
3 //Note: The in-built scilab functions fft2d and
    ifft2d are not working properly
4 //It give wrong results.
5 //Use My functions for 2D-FFT and 2D-IFFT.
6 //Software version
```

```

7 //OS Windows7
8 //Scilab5.4.1
9 //Image Processing Design Toolbox 8.3.1-1
10 //Scilab Image and Video Processing toolbox
    0.5.3.1-2
11 clc;
12 close;
13 clear;
14 exec('C:\Users\senthilkumar\Desktop\
        Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
        fft2d.sce')
15 exec('C:\Users\senthilkumar\Desktop\
        Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
        ifft2d.sce')
16 im1 = imread('C:\Users\senthilkumar\Desktop\
        Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
        balloonsnoisy.png'); //colour noise image
17 im = rgb2gray(im1); //gray noise image
18 fc = 100; //cut off frequency -more features choose
    high cutoff frequency
19 n = 1; //filter order =1
20 [co,ro] = size(im);
21 cx = round(co/2); //centre of the image
22 cy = round(ro/2);
23 IM = fft2d(double(im));
24 imf = fftshift(IM);
25 H = zeros(co,ro);
26 for i = 1:co
27     for j = 1:ro
28         d = (i-cx).^2 + (j-cy).^2;
29         H(i,j) = 1/(1+((d/fc/fc).^(2*n))); //Low
            Pass Butterworth First Order filter
30     end
31 end
32 out_im = imf.*H;
33 out = abs(ifft2d(out_im));
34 out = uint8(out);
35 figure

```



Figure 3.1: Exp3

```
36 ShowColorImage(im1, 'Colour Noisy Image')
37 figure
38 ShowImage(im, 'Gray Noise Image')
39 figure
40 ShowImage(H, 'Low Pass Filter Frequency Response')
41 figure
42 ShowImage(out, 'Filtered Image')
```

---



Figure 3.2: Exp3

# Experiment: 4

## Implementation of Airthmetic Coding for images

Scilab code Solution 4.1 Exp4

```
1 // Program 4. Implementation of arithmetic coding  
for images  
2 //Note 1: In order to run this program download  
Huffman toolbox from  
3 //scilab atoms  
4 //Note 2: The Huffman atom is used to encode images  
of small size only  
5 //Software version  
6 //OS Windows7  
7 //Scilab5.4.1  
8 //Image Processing Design Toolbox 8.3.1-1  
9 //Scilab Image and Video Proccesing toolbox  
0.5.3.1-2  
10 clear;  
11 clc;  
12 close;  
13 //A=testmatrix('frk',10)+1;  
14 a = imread('C:\Users\senthilkumar\Desktop\  
Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
```

```

    cameraman.jpeg');
15 A = imresize(a,[16 16]); //Only Image of small size
    is possible to call huffcode
16 B = size(A);
17 A=A(:)';
18 A = double(A);
19 [QT,QM]=huffcode(A); //Huffman Encoding
20 disp('compressed Bit sequence:');
21 disp(QT);
22 disp('Code Table:');
23 disp(QM);
24 // Now, the reverse operation
25 C = huffdeco(QT,QM); //Huffman Decoding
26 for i=1:B(1)
27     E(i,1:B(2))= C((i-1)*B(2)+1:i*B(2));
28 end
29 D = E';
30 E = imresize(D,[32,32]);
31 figure
32 ShowImage(a,'Original cameraman Image 256x256')
33 figure
34 ShowImage(E,'Reconstructed cameraman Image 256x256')
;
```

---

# Experiment: 5

## Basic JPEG algorithm implementation

check Appendix AP 4 for dependency:

izigzag5.sci

check Appendix AP 5 for dependency:

zigzag5.sci

### Scilab code Solution 5.1 Exp5

```
1 // Program 5. Basic JPEG algorithm implementation
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1-1
6 //Scilab Image and Video Processing toolbox
    0.5.3.1-2
7 close
8 clear;
9 clc;
10 exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    zigzag_5.sci')
```

```

11 exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    izigzag_5.sci')
12 I = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    cameraman.jpeg'); //256x256 image
13 I = imresize(I,0.25); //reduced to 64x64 image [in
    order to reduce the computation time]
14 [m,n]=size(I); // Finding the dimensions of the image
    file.
15 I=double(I);
16 q= [16 11 10 16 24 40 51 61;
17     12 12 14 19 26 58 60 55;
18     14 13 16 24 40 57 69 56;
19     14 17 22 29 51 87 80 62;
20     18 22 37 56 68 109 103 77;
21     24 35 55 64 81 104 113 92;
22     49 64 78 87 103 121 120 101;
23     72 92 95 98 112 100 103 99];
24 N=8; // Block size for which
    DCT is Computed.
25 M=8;
26 I_Trsfrm.block=zeros(N,M); // Initialising the DCT
    Coefficients Structure Matrix "I_Trsfrm" with the
    required dimensions.
27 for a=1:m/N
28     for b=1:n/M
29         for k=1:N
30             for l=1:M
31                 Mean_Sum=0;
32                 //2D-Discrete Cosine Transform
33                 //////////
34                 for i=1:N
35                     for j=1:M
36                         Mean_Sum = Mean_Sum+double(I
37                             (N*(a-1)+i,M*(b-1)+j))*  

38                             cos(%pi*(k-1)*(2*i-1)/(2*
39                             N))*cos(%pi*(l-1)*(2*j-1)

```

```

36                                     /(2*M));
37                     end
38                 end
39             ///////////////
40             if k==1
41                 Mean_Sum = Mean_Sum*sqrt(1/N);
42             else
43                 Mean_Sum = Mean_Sum*sqrt(2/N);
44             end
45             if l==1
46                 Mean_Sum = Mean_Sum*sqrt(1/M);
47             else
48                 Mean_Sum = Mean_Sum*sqrt(2/M);
49             end
50             I_Trsfrm(a,b).block(k,l)= Mean_Sum;
51         end
52     // Normalizing the DCT Matrix and Quantizing
53     // the resulting values.
54     I_Trsfrm(a,b).block=round(I_Trsfrm(a,b).
55     block./q);
56
57     end
58     I_zigzag.block = zeros(N,M);
59     for a= 1:m/N
60         for b = 1:n/M
61             I_zigzag(a,b).block = zigzag_5(I_Trsfrm(a,b)
62             .block);
63         end
64     end
65     I_rec_Trnsfm.block = zeros(N,M);
66     for a= 1:m/N
67         for b = 1:n/M
68             I_rec_Trnsfm(a,b).block = izigzag_5(I_zigzag
69             (a,b).block);
70         end
71     end
72 // Denormalizing the Reconstructed Tranform matrix

```

```

        using the same
69 // Normalization matrix .
70 for a=1:m/N
71     for b=1:n/M
72         I_rec_Trnsfm(a,b).block =(I_rec_Trnsfm(a,b) .
73             block).*q;
74     end
75 //Inverse 2D-DCT
76 for a=1:m/N
77     for b=1:n/M
78         for i=1:N
79             for j=1:M
80                 Mean_Sum =0;
81                 for k=1:N
82                     for l=1:M
83                         if k==1
84                             temp =double(sqrt(1/2)*
85                                 I_rec_Trnsfm(a,b) .
86                                     block(k,l))*cos(%pi*(k
87                                         -1)*(2*i-1)/(2*N))*cos
88                                         (%pi*(l-1)*(2*j-1)/(2*
89                                         M));
90                         else
91                             temp = double(
92                                 I_rec_Trnsfm(a,b) .
93                                     block(k,l))*cos(%pi*(
94                                         k-1)*(2*i-1)/(2*N))*cos(%pi*(l-1)*(2*j-1)
95                                         /(2*M));
96                         end
97                         if l==1
98                             temp = temp*sqrt(1/2);
99                         end
100                     Mean_Sum = Mean_Sum+temp;
101                 end
102             end
103         end
104     Mean_Sum = Mean_Sum*(2/sqrt(M*N));

```

```

95           I_rec((a-1)*N+i,(b-1)*M+j)= Mean_Sum
96           ;
97       end
98   end
99 end
100 // Displaying the Reconstructed Image.
101 diff_image = im2double(I)*255-I_rec;
102 diff_image = diff_image/max(max(diff_image));
103 diff_image = im2uint8(diff_image);
104 I_rec = I_rec/max(max(I_rec));
105 I_rec = im2uint8(I_rec);
106 figure
107 ShowImage(I_rec, 'Recovered Image');
108 figure
109 ShowImage(diff_image, 'Difference Image')
110 figure
111 imhist(I_rec);
112 figure
113 imhist(diff);

```

---

# Experiment: 6

# DPCM encoding and decoding of images

## Scilab code Solution 6.1 Exp6



```

51      inq=ret*q;
52      repre=repre+inq;
53      c(i,j)=repre;
54  end
55 end
56 figure
57 ShowImage(a, 'Image Before Quantization')
58 figure
59 ShowImage(b, 'Quantized Image')
60 figure
61 ShowImage(c, 'Reconstructed Image From Quantized
   Image')
62 psnr = psnr_mse_maxerr(a,c);
63 disp(psnr, 'PSNR in dB= ')
64 //RESULT
65 //enter the quantization value 2
66 //PSNR in dB = 51.165559
67
68 //enter the quantization value 8
69 //PSNR in dB = 40.698164
70 //

```

---




Figure 6.1: Exp6



Figure 6.2: Exp6

# Experiment: 7

## Simple image watermarking algorithms using LSB substitution

Scilab code Solution 7.1 Exp7

```
1 //Program 7. Simple image watermarking algorithms
   using LSB substitution
2 //Note 1: The imread function in SIVP toolbox read
   the binary image as gray
3 //scale image. During bitset it will create problems
   .
4 //The grayscale image can be converted into binary
   image using the function
5 //gray2bin()
6 //Note 2: The functions bit_set and bit_get are
   written inorder to save the
7 // scilab workspace memory during execution
8 //Software version
9 //OS Windows7
10 //Scilab5.4.1
11 //Image Processing Design Toolbox 8.3.1-1
12 //Scilab Image and Video Proccesing toolbox
```

0.5.3.1 - 2

```

13 clc
14 clear
15 close
16 //Function to find number of elements in an image
17 function [N] = numel(X)
18     //X--input image
19     //N-- number of elements in image X
20     [m,n]= size(X);
21     N = m*n;
22 endfunction
23 //Function to calculate peak signal to noise ratio
24 function [psnr,mse,maxerr] = psnr_mse_maxerr(X,Xapp)
25 //PSNR_MSE_MAXERR Peak signal to noise ratio
26 //X -- original Image
27 //Xapp -- reconstructed image
28 //psnr -- peak signal to noise ratio
29 //mse -- mean square error
30 //maxerr -- maximum error
31 X      = double(X);
32 Xapp   = double(Xapp);
33 absD   = abs(X-Xapp);
34 A      = absD.^2;
35 mse    = sum(A(:))/numel(X);
36 psnr   = 10*log10(255*255/mse);
37 maxerr = round(max(absD(:)));
38 endfunction
39 //
40 //////////////////////////////////////////////////////////////////
41 function [A]= gray2bin(B)
42     [m,n] = size(B)
43     for i = 1:m
44         for j = 1:n
45             if(B(i,j)>200)
46                 A(i,j)= 1;
47             else
48                 A(i,j)=0;
49             end
50         end
51     end
52 endfunction

```

```

48         end
49
50     end
51
52 end
53 endfunction
54 ///////////////////////////////////////////////////////////////////
55 function [c]= bit_set(c,b)
56     [m,n] = size(c);
57     for i=1:m
58         for j=1:n
59             c(i,j)=bitset(c(i,j),1,b(i,j));
60         end
61     end
62 endfunction
63 ///////////////////////////////////////////////////////////////////
64 function [d] = bit_get(c)
65     [m,n] = size(c);
66     for i=1:m
67         for j=1:n
68             d(i,j)=bitget(c(i,j),1);
69         end
70     end
71 endfunction
72 ///////////////////////////////////////////////////////////////////
73 a = imread('C:\Users\senthilkumar\Desktop\Chandra_Mohan_LAB\Digital_Image_ProcessingLab\cameraman.jpeg'); // original image
74 b = imread('C:\Users\senthilkumar\Desktop\Chandra_Mohan_LAB\Digital_Image_ProcessingLab\watermark.jpg'); // watermark image
75 b = gray2bin(b);

```

```
76 [m n] = size(a);
77 a = double(a);
78 c = a;
79 c = bit_set(c,b);
80 d = bit_get(c);
81
82 figure
83 ShowImage(a, 'Original image');
84 title('Original image');
85 figure
86 ShowImage(b, 'watermark image');
87 title('watermark image');
88 figure
89 ShowImage(uint8(c), 'watermarked image');
90 title('watermarked image');
91 figure
92 ShowImage(d, 'extracted watermark');
93 title('extracted watermark');
94 psnr = psnr_mse_maxerr(a,c);
95 correlation = corr2(b,d);
96 disp(correlation, 'correlation between watermark
    image and extracted watermark=')
```

---

**watermarked image**



Figure 7.1: Exp7

extracted watermark



Figure 7.2: Exp7

# Experiment: 8

## Simple content based image retrieval using various distance metrics

Scilab code Solution 8.1 Exp8

```
1 //Program 8: Simple content based image retrieval  
    using various distance metrics.  
2 //Based on Similarity matrix  
3 //Using Colormaps of different images  
4 //Note 1: Other methods like wavelet based  
    decomposition along with Euclidean distance  
5 //comparison of sub images can be used for image  
    retrieval  
6 //Note 2: Principal Component Analysis (PCA) inbuilt  
    function is available to  
7 //get eigen vectors and eigen values for image  
    retrieval  
8 //Software version  
9 //OS Windows7  
10 //Scilab5.4.1  
11 //Image Processing Design Toolbox 8.3.1-1  
12 //Scilab Image and Video Processing toolbox
```

#### 0.5.3.1 – 2

```
13 clear;
14 clc;
15 close;
16 I1 = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    Picture1.png'); //257x257x3.
17 I1 = imresize(I1,0.5);
18 [IndexedImage_I1, ColorMap] = RGB2Ind(I1); //IPD
    toolbox
19 I = ColorMap; //66049x3
20 J1 = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    Picture2.png'); //257x257x3.
21 J1 = imresize(J1,0.5);
22 [IndexedImage_J1, ColorMap] = RGB2Ind(J1); //IPD
    toolbox
23 J = ColorMap; //66049x3
24 //Similarity Matrix Method
25 [r,c]= size(I);
26 A = [];
27 I = double(I);
28 J = double(J);
29 for i = 1:r
30     for j = 1:c
31         M1(i,j) = (I(i,2)*sin(I(i,1))-J(j,2)*sin(J(j
            ,1)))^2;
32         M2(i,j) = (I(i,2)*cos(I(i,1))-J(j,2)*cos(J(j
            ,1)))^2;
33         M3(i,j) = (I(i,3)-J(i,3))^2;
34         M(i,j)= sqrt(M1(i,j)+M2(i,j)+M3(i,j));
35         A(i,j) = 1-M(i,j)/sqrt(5);
36     end
37 end
38 I1_rec = Ind2RGB(IndexedImage_I1,A)
39 I1_rec = imresize(I1_rec,2);
40 J1_rec = Ind2RGB(IndexedImage_J1,A)
41 J1_rec = imresize(J1_rec,2);
```

```
42 figure  
43 ShowColorImage(I1, 'original first image');  
44 figure  
45 ShowColorImage(I1_rec, 'Reconstructed first image');  
46 figure  
47 ShowColorImage(J1, 'original second image');  
48 figure  
49 ShowColorImage(J1_rec, 'Reconstructed second image');
```

---



Figure 8.1: Exp8



Figure 8.2: Exp8

# Experiment: 9

## Image segmentation algorithms using Snakes

Scilab code Solution 9.1 Exp9

```
1 // Program 9. Image segmentation algorithms using
   snakes .
2 //Note: Incomplete .
3 //So many functions are not available in Scilab
4 //Image segmentation algorithms using snakes is
   impossible with current
5 //version of scilab and scilab image processing
   atoms .
6 //I tried my best
7 //Software version
8 //OS Windows7
9 //Scilab5.4.1
10 //Image Processing Design Toolbox 8.3.1 -1
11 //Scilab Image and Video Processing toolbox
   0.5.3.1 -2
12 close ;
13 clear ;
14 clc ;
15 J = imread('C:\Users\senthilkumar\Desktop\
```

```

    Chandra_Mohan_LAB\Digital_Image_ProcessingLab \
binary_image.jpg');

16 J = rgb2gray(J);
17 J = imresize(J,[256,256]);
18 J = double(J);
19 [h,w] = size(J);
20 for i = 1:h
21     for j= 1:w
22         if(J(i,j)>200)
23             J(i,j)= 1;
24         else
25             J(i,j) =0;
26         end
27     end
28 end
29 I = imfilter(J,fspecial('gaussian',[17 17],3));
30 figure
31 ShowImage(I,'Snakes')
32 N=500; // number of snake points
33 alpha=1;
34 tstep=1;
35 N_iter=500;
36 f=50;
37 global EDGE_SOBEL;
38 gradient = EdgeFilter(I,EDGE_SOBEL);
39 [m,n] = size(gradient);
40 Ix = gradient(:,:,1);
41 Iy = gradient(:,:,2)';
42 S = -f*(Ix.*Ix + Iy.*Iy);
43 gradient = EdgeFilter(S,EDGE_SOBEL);
44 Sx = gradient(:,:,1);
45 Sy = gradient(:,:,2)';
46 eps = 2.2204e-016;
47 Smag = sqrt(Sx.^2 + Sy.^2)+eps;
48 Sx(:) = Sx./Smag;
49 Sy(:) = Sy./Smag;
50 D=[-tstep*alpha*ones(N,1) (1+2*tstep*alpha)*ones(N
,1) -tstep*alpha*ones(N,1)];

```

```
51 D(2,3)=D(2,3)-tstep*alpha;
52 D($-1,1)=D($-1,1)-tstep*alpha;
53 theta = linspace(0,2*pi,N);
54 theta = theta(:);
55 x = w/2 + 10 + (h/3)*cos(theta);
56 y = h/2 - 10 + (h/4)*sin(theta);
57 plot(x,y, 'r');
```

---

# Experiment: 10

## Color images manipulations, reading and writing of color images

Scilab code Solution 10.1 Exp10

```
1 //Program 10. Color images manipulations , reading and
   writing of color images
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1 – 1
6 //Scilab Image and Video Proccesing toolbox
   0.5.3.1 – 2
7 clc
8 clear
9 close
10 //Showing RGB components of a color RGB image.
11 //Splitting the color image (RGB Image) into three
   planes
12 a=imread('C:\Users\senthilkumar\Desktop\
   Chandra_Mohan_LAB\DI P_Sci lab_Programs\peppers.
   png'); //this image is 348x512x3 size
```

```

13   figure
14   ar=a(:,:,1);
15   ShowImage(ar, 'RED Matrix')
16   figure
17   ag=a(:,:,2);
18   ShowImage(ag, 'GREEN Matrix')
19   figure
20   ab=a(:,:,3);
21   ShowImage(ab, 'BLUE Matrix')
22 // Reconstruction of original color image from three
   RGB planes
23
24   RGB = imread('C:\Users\senthilkumar\Desktop\
   Chandra_Mohan_LAB\DI P_Sci lab_Programs\peppers.
   png');//SIVP toolbox
25   RGB_128 = RGB/2;
26   RGB_128 = round(RGB_128)
27   [X, map] = RGB2Ind(RGB_128);
28   figure
29   ShowImage(X, 'Indexed Image', map)
30 // Limiting no of colours to 8 without dithering
31   figure
32   RGB_8 = RGB/7;
33   RGB_8 = round(RGB_8)
34   [X1, map1]=RGB2Ind(RGB);
35   ShowImage(X1, 'Without Dither', map1)
36
37   figure
38   ShowColorImage(RGB, 'RGB Color Image')
39   YIQ = rgb2ntsc(RGB);
40   figure
41   ShowColorImage(YIQ, 'NTSC image YIQ')
42   RGB = ntsc2rgb(YIQ);
43   YCC = rgb2ycbcr(RGB);
44   figure
45   ShowColorImage(YCC, 'equivalent HSV image YCbCr')
46   RGB = ycbcr2rgb(YCC);
47   HSV = rgb2hsv(RGB);

```

```
48 figure  
49 ShowColorImage(HSV, 'equivalent HSV image')  
50 RGB = hsv2rgb(HSV);
```

---

# Experiment: 11

## Color image enhancements

check Appendix AP 3 for dependency:

imgenh11.sci

### Scilab code Solution 11.1 Exp11

```
1 //Program 11. Color image enhancements
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1-1
6 //Scilab Image and Video Processing toolbox
    0.5.3.1-2
7 clc
8 clear
9 close
10 a=imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    balloonsnoisy.png');
11 ks=input('enter the size of the kernel 1 for 1 1 3
    for 3 3 ... ');
12 exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    imgenh_11.sci')
```

```

13 for i=1:3
14     b(:,:,i)=imgenh11(a(:,:,i),ks);
15 end
16
17 figure
18 ShowColorImage(a, 'Noised image( before enhancement)')
    ;
19 title('Noised image( before enhancement)');
20 figure
21 ShowColorImage(uint8(b), 'enhancement with mean
    filtering');
22 title('enhancement with mean filtering');
23 //RESULT
24 //enter the size of the kernel 1 for 1 1 3 for 3 3
    ...3
25
26 //NOTE: since the image is large [480      640] it will
    take some time to
27 //show the result

```

---

Noised image(before enhancement)




Figure 11.1: Exp11

enhancement with mean filtering



Figure 11.2: Exp11

# Experiment: 12

## Color image histogram manipulation

check Appendix [AP 2](#) for dependency:

`histbw12.sci`

### Scilab code Solution 12.1 Exp12

```
1 //Program 12 Color image histogram manipulation
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1-1
6 //Scilab Image and Video Processing toolbox
    0.5.3.1-2
7 clc
8 close
9 a=imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    peppers.png');
10 a1=uint8(a);
11 exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    histbw_12.sci')
```

```
12 for i=1:3
13     b(:,:,i)=histbw12(a1(:,:,i));
14 end
15 figure
16 ShowColorImage(a,'original color image');
17 title('original color image');
18 figure
19 ShowColorImage(b,'histogram equalization of color
    image');
20 title('histogram equalization of color image');
21 rgbhists_12(a);
22 //exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    rgbhists_12.sci')
```

---

original color image



Figure 12.1: Exp12

histogram equalization of color image



Figure 12.2: Exp12

# Experiment: 13

## LOG Masks implementation for gray and color images

Scilab code Solution 13.1 Exp13

```
1 //Program 13. LOG Masks implementation for gray and
   color images
2 //Software version
3 //OS Windows7
4 //Scilab5.4.1
5 //Image Processing Design Toolbox 8.3.1-1
6 //Scilab Image and Video Processing toolbox
   0.5.3.1-2
7 clc
8 clear
9 close
10 a=imread('C:\Users\senthilkumar\Desktop\
   Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
   cameraman.jpeg');
11 a=double(a);
12 logmask=[0 1 1 2 2 2 1 1 0;1 2 4 5 5 5 4 2 1;1 4 5 3
   0 3 5 4 1;2 5 3 -12 -24 -12 3 5 2;2 5 0 -24 -40
   -24 0 5 2;
13           2 5 3 -12 -24 -12 3 5 2;1 4 5 3 0 3 5 4 1;1
```

```

2 4 5 5 5 4 2 1;0 1 1 2 2 2 1 1 0];
14 [m n]=size(a);
15 [m1 n1]=size(logmask);
16 b=zeros(m+m1-1,n+n1-1);
17 m2=floor(m1/2);
18 n2=floor(n1/2);
19 b(m2+1:m+m2 ,n2+1:n+n2)=a;
20 for i=m2+1:m+m2
21     for j=n2+1:n+n2
22         c=b(i-m2:i+m2 ,j-n2:j+n2);
23         d=sum(sum(c.*logmask));
24         if d>150
25             e(i-m2 ,j-n2)=0;
26         else
27             e(i-m2 ,j-n2)=1;
28         end
29
30     end
31 end
32 title('Camerman image after LOG masked')
33 imshow(e) //SIVP toolbox

```

---

# Experiment: 14

## Special effects implementation on grey and color images

check Appendix [AP 1](#) for dependency:

`rot90f.sci`

### Scilab code Solution 14.1 Exp14

```
1 //Program 14. Special effects implementation on gray
   and color images
2 //Note: The functions like entropfilt () .m are not
   available in scilab
3 //But similar effects can be produced in scilab
   using other methods.
4 //Software version
5 //OS Windows7
6 //Scilab5 .4.1
7 //Image Processing Design Toolbox 8.3.1 –1
8 //Scilab Image and Video Proccesing toolbox
   0.5.3.1 –2
9 clc;
10 clear;
11 close;
```

```

12 exec('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab \
    rot90_f.sci')
13 img1 = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab \
    mandrill.jpeg'); //colour image
14 img2 = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab \
    twozebras.jpg'); //colour image
15 img3 = imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab \
    cameraman.jpeg'); //gray image
16 filter1 = fspecial('sobel');
17 img1_filter = imfilter(img1,filter1);
18 img2_filter = imfilter(img2,filter1);
19 ShowColorImage(img1,'original image 1');
20 figure
21 ShowColorImage(img1_filter,'Special effect in
    Mandrill Image')
22 figure
23 ShowColorImage(img2,'original image 2');
24 figure
25 ShowColorImage(img2_filter,'Special effect in
    twozebras Image')
26 img3_negative = 255-double(img3); //image negative
27 img3_rotate = rot90f(img3,3);
28 //Image contrast adjustment
29 [m,n] = size(img3);
30 for i = 1:m
31     for j = 1:n
32         if img3(i,j)>70 then
33             img3_adjust(i,j) = img3(i,j)+(255-img3(i,
34                 ,j));
35         else
36             img3_adjust(i,j) = img3(i,j);
37         end
38     end

```

```
39 end
40 figure
41 ShowImage(img3, 'Cameraman original Image');
42 figure
43 ShowImage(img3_negative, 'Cameraman Negative Image')
44 figure
45 ShowImage(img3_rotate, '270 degree rotation of
camerman image')
46 figure
47 ShowImage(img3_adjust, 'Cameraman Image Contrast
Adjustment')
```

---




Figure 14.1: Exp14




Figure 14.2: Exp14

# Experiment: 15

## Simple video reading and writing .avi formats and manipulation of video frames

Scilab code Solution 15.1 Exp15a

```
1 //Program 15. Simple video reading and writing .avi  
    formats and manipulation of video frames.  
2 //Note 1: Install xvid codec for read and write  
    video files from  
3 //http://www.xvid.org/Downloads.15.0.html  
4 //Note 2: very large can not be read by scilab  
5 //Note 3: shuttle.avi is a large file more 100  
    frames. use shuttlenew.avi file  
6 //for video processing applications  
7 //Using SIVP Atom  
8 //Software version  
9 //OS Windows7  
10 //Scilab5.4.1  
11 //Image Processing Design Toolbox 8.3.1-1  
12 //Scilab Image and Video Proccesing toolbox  
    0.5.3.1-2  
13 clear;
```

```

14 clc;
15 close;
16 //n = aviopen(SCI+ '/contrib/sivp/images/video.avi');
17 n = aviopen('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\red
    -car-video.avi');
18 im = avireadframe(n); //get a frame
19 imshow(im);
20 avilistopened()
21 aviclose(n);

```

---

### Scilab code Solution 15.2 Exp15b

```

1 //Program 15. Simple video reading and writing .avi
    formats and manipulation of video frames.
2 //Note 1: Install xvid codec for read and write
    video files from
3 //http://www.xvid.org/Downloads.15.0.html
4 //Note 2: very large can not be read by scilab
5 //Note 3: shuttle.avi is a large file more 100
    frames. use red-car-video.avi file
6 //for video processing applications
7 //Using Image Processing Design Atom (IPD)
8 //Software version
9 //OS Windows7
10 //Scilab5.4.1
11 //Image Processing Design Toolbox 8.3.1-1
12 //Scilab Image and Video Proccesing toolbox
    0.5.3.1-2
13 clear;
14 clc;
15 close;
16 VideoPath = 'C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\red
    -car-video.avi';

```

```
17
18 VideoInfo = GetVideoStruct('C:\Users\senthilkumar\
    Desktop\Chandra_Mohan_LAB\
    Digital_Image_ProcessingLab\red-car-video.avi');
19
20 VideoFilePointer = OpenVideoFile('C:\Users\
    senthilkumar\Desktop\Chandra_Mohan_LAB\
    Digital_Image_ProcessingLab\red-car-video.avi');
21
22 figure();
23
24 for n = 1 : VideoInfo.NumberOfFrames
25
26 RGB = ReadImage(VideoFilePointer);
27
28 ShowColorImage(RGB, VideoPath);
29
30 end;
31
32 CloseVideoFile(VideoFilePointer);
```

---

# Appendix

```
Scilab code AP 11 function [B] = rot90f(A,k)
2 [%nargout,% nargin] = argn(0)
3 //ROT90 Rotate matrix 90 degrees.
4 // ROT90(A) is the 90 degree counterclockwise
   rotation of matrix A.
5 // ROT90(A,K) is the K*90 degree rotation of A, K
   = +1,+2,...
6 [m,n] = size(A);
7 if %nargin==1 then
8   k = 1;
9 else
10   k = k-fix(k/4).*4;
11   if(k<0) then
12     k = k+4;
13   end
14 end
15 if k == 1
16   A = A.';
17   B = A(n:-1:1,:);
18 elseif k == 2
19   B = A(m:-1:1,n:-1:1);
20 elseif k == 3
21   B = A(m:-1:1,:);
22   B = B.';
23 else
24   B = A;
25 end
```

26 **endfunction**

Rotate Image 90 degree

---

```
Scilab code AP 12 function [hea,b]=histbw12(a)
2 //a=imread ('C:\ Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\ Digital_Image_ProcessingLab
    \tire.jpeg')
3 //a- original image
4 //b- histogram
5 //hea- histogram equalized image
6 [m n]=size(a);
7 for i=1:256
8     b(i)=length(find(a==(i-1)));
9 end
10 pbb=b/(m*n);
11 pb(1)=pbb(1);
12 for i=2:256
13     pb(i)=pb(i-1)+pbb(i);
14 end
15
16 s=pb*255;
17 sb=uint8(round(s));
18 index =0;
19 for i=1:m
20     for j=1:n
21         index = double(a(i,j))+1; //convert it to
            double
22         //otherwise index = 255+1 =0
23         hea(i,j)= sb(index); //histogram
            equalization
24     end
25 end
26 endfunction
27 //note:
28 //First run this function
29 //type the following commands in scilab console
    window
```

```

30 // a=imread('C:\Users\senthilkumar\Desktop\
    Chandra_Mohan_LAB\Digital_Image_ProcessingLab\
    tire.jpeg')
31 // [hea,b] = histbw_12(a);
32 // figure,
33 // ShowImage(a,'Original Image')//IPD toolbox
34 // title('Original Image')
35 // figure
36 // plot2d3('gnn',[1:256],b)
37 // title('Histogram of the Image')
38 // figure
39 // ShowImage(hea,'Image after Histogram equalization
    ')//IPD toolbox
40 // title('Image after Histogram equalization')

Histogram of Gray images

```

---

```

Scilab code AP3 function [out] = imgenh11(a,ks)
2     [m n]=size(a);
3     a1=zeros(m+ks-1,n+ks-1);
4     [m1 n1]=size(a1);
5     x=floor(ks/2);
6     a1(1+x:m1-x,1+x:n1-x)=a;
7     out=[];
8
9     for i=1+x:m1-x
10         for j=1+x:n1-x
11             t=a1(i-x:i+x,j-x:j+x);
12             med=median(t(:));
13             out(i-x,j-x)=med;
14         end
15     end
16 endfunction

```

---

Image Enhancement

---

```

Scilab code AP4 function [result] = izigzag5(data)
2 // inverse ZigZag scanning of input data

```

```

3 N= sqrt(size(data,1));
4 z = 1;
5 count = 0;
6 row = 1;
7 col = 0;
8 for (x = 2:2*N),
9     if (x <= N+1),
10        y = x + 1;
11        if(modulo(x,2) == 0)
12            col = col + 1;
13        else
14            row = row + 1;
15        end
16    else
17        y = N+1;
18        if (modulo(x,2) == 0)
19            row = row - 1;
20            col = col + 2;
21        else
22            row = row + 2;
23            col = col - 1;
24        end
25    end
26
27 while((row < y)&(col < y)&(row > 0)&(col > 0))
28     result(row,col) = data(z);
29     z = z + 1;
30
31     if(modulo(x,2) == 0)
32         row = row - 1;
33         col = col + 1;
34     else
35         row = row + 1;
36         col = col - 1;
37     end
38 end
39 end
40 endfunction

```

## Inverse Zig Zag scanning of pixels

---

```
Scilab code AP 15 function [result] = zigzag5(data)
2 // ZigZag scanning of input data
3 N= size(data,1);
4 z = 1;
5 count = 0;
6 row = 1;
7 col = 0;
8
9 for (x = 2:2*N),
10     if (x <= N+1)
11         y = x + 1;
12         if(modulo(x,2) == 0)
13             col = col + 1;
14         else
15             row = row + 1;
16         end
17     else
18         y = N+1;
19         if(modulo(x,2) == 0)
20             row = row - 1;
21             col = col + 2;
22         else
23             row = row + 2;
24             col = col - 1;
25         end
26     end
27
28     while((row < y)&(col < y)&(row > 0)&(col > 0))
29         result(z) = data(row,col);
30         z = z + 1;
31         if(modulo(x,2) == 0)
32             row = row - 1;
33             col = col + 1;
34         else
35             row = row + 1;
```

```

36         col = col - 1;
37     end
38 end
39 endfunction

```

---

### Zig Zag Scanning of Pixels

---

```

Scilab code AP 16 function [a2] = fft2d(a)
1 //a = any real or complex 2D matrix
2 //a2 = 2D-DFT of 2D matrix 'a'
3 m=size(a,1)
4 n=size(a,2)
5 // fourier transform along the rows
6 for i=1:n
7 a1(:,i)=exp(-2*%i*pi*(0:m-1)'.*.(0:m-1)/m)*a(:,i)
8 end
9 // fourier transform along the columns
10 for j=1:m
11 a2temp=exp(-2*%i*pi*(0:n-1)'.*.(0:n-1)/n)*(a1(j,:))
12 .
13 a2(j,:)=a2temp.'
14 end
15 for i = 1:m
16     for j = 1:n
17         if((abs(real(a2(i,j)))<0.0001)&(abs(imag(a2(
18             i,j)))<0.0001))
19             a2(i,j)=0;
20         elseif(abs(real(a2(i,j)))<0.0001)
21             a2(i,j)= 0+%i*imag(a2(i,j));
22         elseif(abs(imag(a2(i,j)))<0.0001)
23             a2(i,j)= real(a2(i,j))+0;
24         end
25     end

```

---

### 2D Fast Fourier Trasnform

---

```

Scilab code AP 17 function [a] = ifft2d(a2)
2 //a2 = 2D-DFT of any real or complex 2D matrix
3 //a = 2D-IDFT of a2
4 m=size(a2,1)
5 n=size(a2,2)
6 //Inverse Fourier transform along the rows
7 for i=1:n
8 a1(:,i)=exp(2*%i*%pi*(0:m-1)'.*.(0:m-1)/m)*a2(:,i)
9 end
10 //Inverse fourier transform along the columns
11 for j=1:m
12 atemp=exp(2*%i*%pi*(0:n-1)'.*.(0:n-1)/n)*(a1(j,:)).'
13 a(j,:)=atemp.'
14 end
15 a = a/(m*n)
16 a = real(a)
17 endfunction

```

Inverse 2D Fast Fourier Transform

---