

Scilab Manual for  
Principles of Control System  
by Prof Mrugendra Vasmatar  
Others  
VESIT<sup>1</sup>

Solutions provided by  
Ajinkya Khair  
Others  
V.E.S.I.T.

December 17, 2025

<sup>1</sup>Funded by a grant from the National Mission on Education through ICT, <http://spoken-tutorial.org/NMEICT-Intro>. This Scilab Manual and Scilab codes written in it can be downloaded from the "Migrated Labs" section at the website <http://scilab.in>



# Contents

List of Scilab Solutions	3
1 To analyse pole zero plot of a system	4
2 To find the characteristics equation and poles of a system	5
3 To find the gain equation of a system from given poles and zeros	6

# List of Experiments

Solution 1.1	pole zero plot for a given system . . . . .	4
Solution 2.1	characteristic equation and poles of system . . . .	5
Solution 3.1	gain equation of a system . . . . .	6

# Experiment: 1

## To analyse pole zero plot of a system

Scilab code Solution 1.1 pole zero plot for a given system

```
1  clc;
2  close;
3  //Scilab 5.5.0;64 bit (windows 7)
4  //laplace//
5  //pole zero plot for  $g(s)=(s^2+3s+2)/(s^2+7s+12)$ 
6  s=%s;
7  p=poly([2 3 1], 's', 'coeff')
8  q=poly([12 7 1], 's', 'coeff')
9  V=syslin('c',p,q)
10 plzr(V)
11 syms s t ;
12 v =ilaplace(' (2+(3*s)+s^2)/(s^2+(7*s)+12)',s,t)
13 disp(v,'V(t)=')
```

---

## Experiment: 2

### To find the characteristics equation and poles of a system

Scilab code Solution 2.1 characteristic equation and poles of system

```
1  clc;  
2  close;  
3  //Scilab 5.5.0;64 bit(windows 7)  
4  //characteristic equation and poles of system  
5  s=%s;  
6  G=syslin('c',(5*(s+2))/((s+3)*(s+4)));  
7  disp(G,"G(s)=")  
8  x=denom(G);  
9  disp(x,"Characteristics Equation=")  
10 y=roots(x);  
11 disp(y,"Poles of a system=")
```

---

## Experiment: 3

To find the gain equation of a system from given poles and zeros

Scilab code Solution 3.1 gain equation of a system

```
1  clc;
2  close;
3  // Scilab 5.5.0;64 bit(windows 7)
4  //to find gain of a system from poles and zeros
5  printf("Given: Poles are s=-1,(-2+i),(-2-i); zeros s
        =-3+i,-3-i, Gain factor(k)=5 \n")
6  num=poly([-3+%i,-3-%i], 's', 'roots');
7  den=poly([-1,-2+%i,-2-%i], 's', 'roots');
8  G=(5*num)/den;
9  disp(G, "G(s)=")
```

---