

Scilab Manual for  
Managerial Economics via Scilab  
by Prof Sreenivasa Charyulu  
Others  
Sreenidhi Institute Of Science And  
Technology<sup>1</sup>

Solutions provided by  
Prof Sreenivasa Charyulu  
Others  
Sreenidhi Institute Of Science And Technology

May 6, 2024

<sup>1</sup>Funded by a grant from the National Mission on Education through ICT,  
<http://spoken-tutorial.org/NMEICT-Intro>. This Scilab Manual and Scilab codes  
written in it can be downloaded from the "Migrated Labs" section at the website  
<http://scilab.in>



# Contents

<b>List of Scilab Solutions</b>	<b>3</b>
<b>1 Price Elasticity Of Demand</b>	<b>4</b>
<b>2 Income Elasticity Of Demand</b>	<b>7</b>
<b>3 Total Outlay(Expenditure) Method</b>	<b>9</b>
<b>4 Demand Forecast Technique</b>	<b>12</b>
<b>5 Break Even Point</b>	<b>16</b>
<b>6 Capital Budgeting</b>	<b>19</b>
<b>7 Capital Budgeting</b>	<b>21</b>
<b>8 Profitability Index</b>	<b>25</b>
<b>9 Average rate of return</b>	<b>29</b>
<b>10 Capital Budgeting</b>	<b>31</b>

# List of Experiments

# Experiment: 1

## Price Elasticity Of Demand

### Scilab code Solution 1.1 1

```
1 // Price Elasticity Of Demand
2 //OS:Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Concept Information
10 //Formula= % Change in Demand/% Change in Price
11 //Ed = ( Q / P ) * (Po/Qo)
12 // Q is the Change in Quantity [Q0–Q1] (or) Initial
   Quantity – Final Quantity
13 // P is the Change in Price [P0–P1] (or) Initial
   Price – Final Price
14 //Q0 stands for Quantity for previous
15
16 //Type 1
17 //Given
18 P0=8      //in rupees
19 P1=4      //in rupees
```

```

20 Q0=10      //in units
21 Q1=12      //in units
22
23 //Solution
24 Ed=((Q0-Q1)/(P0-P1)*(P0/Q0))
25
26 //Values
27 mprintf("\n      Px(in rupees)      Dx(in units)") 
28 mprintf("\n      %d\t\t\t\t%d",P0,Q0)
29 mprintf("\n      %d\t\t\t\t%d",P1,Q1)
30
31 //Result
32 //Note: -ve sign is ignored
33 mprintf("\n      Ed:%f",-Ed)
34 if -Ed < 1 then
35     mprintf("\nLess than Elasticity Of Demand")
36 else
37     mprintf("Greater than Elasticity Of Demand")
38 end
39
40 //Type 2
41 //Given
42 P0=8      //in rupees
43 P1=6      //in rupees
44 Q0=10     //in units
45 Q1=25     //in units
46
47 Ed=((Q0-Q1)/(P0-P1)*(P0/Q0))
48
49 //Values
50 mprintf("\n\n      Px(in rupees)      Dx(in units)") 
51 mprintf("\n      %d\t\t\t\t%d",P0,Q0)
52 mprintf("\n      %d\t\t\t\t%d",P1,Q1)
53
54 //Result
55 //Note: -ve sign is ignored
56 mprintf("\n      Ed:%d",-Ed)
57 if -Ed < 1 then

```

```
58     mprintf("\nLess than Elasticity Of Demand")
59 else
60     mprintf("\nGreater than Elasticity Of Demand")
61 end
62
63 //Output
64 //    Px( in rupees)      Dx( in units)
65 //        8                  10
66 //        4                  12
67 //        Ed:0.400000
68 //Less than Elasticity Of Demand
69 //
70 //    Px( in rupees)      Dx( in units)
71 //        8                  10
72 //        6                  25
73 //        Ed:6
74 // Greater than Elasticity Of Demand
```

---

# Experiment: 2

## Income Elasticity Of Demand

### Scilab code Solution 2.2 2

```
1 //Income Elasticity Of Demand
2 //OS:Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Concept Information
10 //Formula= % Change in Income/% Change in Q.D.
11 //Ei = ( Q / Y ) * (Yo/Qo)
12 // Q is the Change in Quantity [Q0–Q1] (or) Initial
   Quantity – Final Quantity
13
14 //Given
15 I0=4000      //in rupees
16 I1=5000      //in rupees
17 Q0=20        //in units
18 Q1=25        //in units
19
20 //Solution
```

```

21 Ei=((Q0-Q1)/(I0-I1)*(I0/Q0))
22
23 //Values
24 mprintf("    Income(in rupees)      Commodity Demand(
25           in units)") 
25 mprintf("\n      %d\t\t\t%d", I0, Q0)
26 mprintf("\n      %d\t\t\t%d", I1, Q1)
27
28 //Result
29 //Note: -ve sign is ignored
30 mprintf("\n      Ei:%d", Ei)
31 if Ei == 1 then
32     mprintf("\nUnity Elasticity Of Demand")
33 elseif Ei > 1 then
34     mprintf("\nGreater than Elasticity Of Demand")
35 else
36     mprintf("\nLess than Elasticity Of Demand")
37 end
38
39 //Output
40 //    Income(in rupees)      Commodity Demand(in
41 //           units)
41 //        4000          20
42 //        5000          25
43 //        Ei:1
44 // Unity Elasticity Of Demand

```

---

# Experiment: 3

## Total Outlay(Expenditure) Method

### Scilab code Solution 3.3 3

```
1 //Total Outlay( Expenditure ) Method
2 //OS: Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Concept Information
10 //Total Outlay = Price per unit * Demand in units
11
12 price=[8,7,6,5,4]           //per Kg in rupees
13 total_expenditure=[0,7000,12000,15000,16000]
14                                     //in rupees
15 mprintf('    Price per kg      Total Expenditure')
16 mprintf('\n      (in rupees)\t      (in rupees)')
17 for i=1:5
18     mprintf('\n      %d\t%d',price(i),
```



```

47     mprintf("\nE < 1")
48     mprintf("\nLess than Unity")
49     mprintf("\nTotal expenditure decreases as a
           result of increase in price")
50 end
51
52 //Output
53 //      Price per kg      Total Expenditure
54 //      (in rupees)          (in rupees)
55 //      8          0
56 //      7          7000
57 //      6          12000
58 //      5          15000
59 //      4          16000
60 //
61 //      Price per kg      Total Expenditure
62 //      (in rupees)          (in rupees)
63 //      7          7000
64 //      5          15000
65 //E < 1
66 //Less than Unity
67 //Total expenditure decreases as a result of
       increase in price
68 //
69 //      Price per kg      Total Expenditure
70 //      (in rupees)          (in rupees)
71 //      5          15000
72 //      7          7000
73 //E < 1
74 //Less than Unity
75 //Total expenditure decreases as a result of
       increase in price

```

---

# Experiment: 4

## Demand Forecast Technique

### Scilab code Solution 4.4 4

```
1 //Demand Forecast Technique
2 //Under Quantitative Technique
3 //OS:Windows 10
4 //Scilab 5.5.2
5
6 clear;
7 clc;
8 close;
9
10 //Concept Information
11 //Time Series Analysis – Least Square Method
12 //y = a + b * x
13 //y indicates future sales
14 //x indicates the year number for which forecast is
    to be made
15 //a is the fixed element of overall sales which is
    not affected by time change
16 //b indicates the rate of change of sales with
    change in time
17 //a = y /N      b = xy / n ^2
18
```

```

19 //Given
20 years = [2012,2013,2014,2015,2016]
21 sales = [120,130,135,142,138]      //in rupees
22
23 //Consider the year 2014
24 //Solution
25 X_val=[]
26 for i=1:5
27     X_val($+1) = years(i)-years(3)
28 end
29
30 XY_val=[]
31 for i=1:5
32     XY_val($+1) = X_val(i) * sales(i)
33 end
34
35 X_sqr=X_val^2
36
37 sigma_y = sum(sales)
38 sigma_x = sum(X_val)
39 sigma_xy = sum(XY_val)
40 sigma_xsqr = sum(X_sqr)
41
42 N=length(sales)
43 a = sigma_y/N
44 b = sigma_xy/sigma_xsqr
45
46 //Result
47 //Table
48 mprintf("Year          ")
49 for i=1:5
50     mprintf("%d",years(i))
51 end
52 mprintf("\n Sales (in rupees)")
53 for i=1:5
54     mprintf("%d",sales(i))
55 end
56

```



```
87 // 2016      138      2      276      4
88 //
89 //    y =665      x =0      xy =48      x ^2=10
90 //
91 //    a = 133
92 //    b = 4.80
93 //
94 // Estimate : 147.40
95 // Estimate : 152.20
```

---

# Experiment: 5

## Break Even Point

### Scilab code Solution 5.5 5

```
1 //Break Even Point
2 //OS:Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Given
10 fixed_cost = 500           //in rupees
11 variable_cost = 100         //in rupees per unit
12 selling_price = 200         //in rupees per unit
13 units = []
14 total_variable_cost = []
15 total_cost = []
16 total_revenue = []
17
18 //Solution
19 for i = 0:10
20     units($+1) = i
21     total_variable_cost($+1) = i * variable_cost
```

```

22     total_cost($+1) = total_variable_cost(i+1) +
23         fixed_cost
24     total_revenue($+1) = units(i+1) * selling_price
25   end
26
27   for i = 1:10
28     if total_cost(i) == total_revenue(i) then
29       BEP_units = i
30     else
31       i = i + 1
32     end
33   end
34 // Result
35 mprintf("\n Units  FC(in Rs)  VC(per unit)  TVC
36           TC  SP(per unit)  TR")
36 for i = 0:10
37   mprintf("\n    %d\t %d\t      %d\t %d\t %d\t%d\t
38             %d",units(i+1),fixed_cost,variable_cost,
39             total_variable_cost(i+1),total_cost(i+1),
40             selling_price,total_revenue(i+1))
41 end
42
43 // Output
44 //  Units  FC(in Rs)  VC(per unit)  TVC      TC  SP(
45 //        per unit)  TR
46 //    0      500          100          0      500      200      0
47 //    1      500          100          100     600      200
48 //    2      500          100          200      700      200
49 //    3      500          100          300      800      200
50 //    4      500          100          400      900      200

```

```
      800
50 // 5    500      100    500    1000    200
      1000
51 // 6    500      100    600    1100    200
      1200
52 // 7    500      100    700    1200    200
      1400
53 // 8    500      100    800    1300    200
      1600
54 // 9    500      100    900    1400    200
      1800
55 // 10   500      100   1000    1500    200
      2000
56 //Break Even Point occurs at 5 units
```

---

# Experiment: 6

## Capital Budgeting

### Scilab code Solution 6.6 6

```
1 // Capital Budgeting
2 //Pay Back Period
3 //OS: Windows 10
4 //Scilab 5.5.2
5
6 clear;
7 clc;
8 close;
9
10 //Concept Information
11 //Even Model
12 //PBP = Original Cost of the project / Annual Cash
   Inflow
13
14 //Case 1
15 //Solution
16 originalcost = 500000
17 annualcashinflow = 100000
18 pbp = originalcost / annualcashinflow
19
20 //Result
```

```
21 mprintf("Pay Back Period for the project is : %d  
22 years",pbp)  
22  
23 //Case 2  
24 originalcost = input("\\n Enter the original cost of  
25 the project:")  
25 annualcashinflow = input("\\n Enter the annual cash  
26 inflow:")  
26 pbp = originalcost / annualcashinflow  
27  
28 //Result  
29 mprintf("\\n Pay Back Period for the project is : %.2  
f years",pbp)  
30  
31 //Output  
32 // Pay Back Period for the project is : 5 years  
33 //\\n Enter the original cost of the project:200000  
34 //  
35 //\\n Enter the annual cash inflow:200000  
36 //  
37 //  
38 // Pay Back Period for the project is : 1.00 years
```

---

# Experiment: 7

## Capital Budgeting

### Scilab code Solution 7.7 7

```
1 // Capital Budgeting
2 //Payback Period – Project Selection
3 //OS:Windows 10
4 //Scilab 5.5.2
5
6 clear;
7 clc;
8 close;
9
10 //Given
11 project_cost = 200000           //in rupees
12 projecta_cashinflow =
13 [50000,50000,50000,50000,50000]      //in years
14 1-5
15 projectb_cashinflow =
16 [100000,100000,100000,100000,100000]      //in
17 years 1-5
18 rca = 0          //recovering period for Project A
19 rcb = 0          //recovering period for Project B
20
21 //Solution
```

```

18 projecta_cumulative_cashinflow = [0,0,0,0,0]
19 projecta_cumulative_cashinflow(1) =
    projecta_cashinflow(1) //since 1st
    value of cumulation is always 1st value of
    cashinflow
20 projectb_cumulative_cashinflow = [0,0,0,0,0]
21 projectb_cumulative_cashinflow(1) =
    projectb_cashinflow(1) //since 1st
    value of cumulation is always 1st value of
    cashinflow
22 for i=2:5
23     projecta_cumulative_cashinflow(i) =
        projecta_cumulative_cashinflow(i-1) +
        projecta_cashinflow(i)
24     projectb_cumulative_cashinflow(i) =
        projectb_cumulative_cashinflow(i-1) +
        projectb_cashinflow(i)
25 end
26
27 // Result
28 mprintf("      Project A")
29 mprintf("\n Year   Cash inflow   Cumulative cash
           inflow")
30 for i=1:5
31     mprintf("\n %d       %d       %d", i,
               projecta_cashinflow(i),
               projecta_cumulative_cashinflow(i))
32 end
33
34 mprintf("\n\n      Project B")
35 mprintf("\n Year   Cash inflow   Cumulative cash
           inflow")
36 for i=1:5
37     mprintf("\n %d       %d       %d", i,
               projectb_cashinflow(i),
               projectb_cumulative_cashinflow(i))
38 end
39

```

```

40 for i=1:5
41     if(projecta_cumulative_cashinflow(i) ==
        project_cost)
        mprintf("\n\nRecovering period is %d years
                 in Project A",i)
43     rca = i
44 end
45 end
46
47 for i=1:5
48     if(projectb_cumulative_cashinflow(i) ==
        project_cost)
        mprintf("\n\nRecovering period is %d years in
                 Project B",i)
50     rcB = i
51 end
52 end
53
54 if rca < rcB then
55     mprintf("Project A is accepted")
56 else
57     mprintf("\nProject B is accepted")
58 end
59
60 //Output
61 //      Project A
62 //  Year   Cash inflow   Cumulative cash inflow
63 //    1       50000          50000
64 //    2       50000         100000
65 //    3       50000         150000
66 //    4       50000         200000
67 //    5       50000         250000
68 //
69 //      Project B
70 //  Year   Cash inflow   Cumulative cash inflow
71 //    1      100000         100000
72 //    2      100000         200000
73 //    3      100000         300000

```

```
74 // 4      100000      400000
75 // 5      100000      500000
76 //
77 //Recovering period is 4 years in Project A
78 //Recovering period is 2 years in Project B
79 //Project B is accepted
```

---

# Experiment: 8

## Profitability Index

Scilab code Solution 8.8 8

```
1 // Profitability Index
2 //OS:Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Given
10 projectA_investment = 30000      //in rupees
11 projectB_investment = 50000      //in rupees
12 estimatedlife_A = 5            //in years
13 estimatedlife_B = 5            //in years
14 scrapvalue_A = 2000          //in rupees
15 scrapvalue_B = 4000          //in rupees
16 pv_10 = [0.909,0.826,0.751,0.683,0.621]           //
   discount rate of 10%
17 projectA_CF = [10000,15000,8000,6000,4000]
18 projectB_CF = [40000,30000,10000,5000,4000]
19 pvcf_A = []                //present value
20 pvcf_B = []                //present value
```



```

53 for i=1:5
54     mprintf("\n    %d\t    %d\t        %.3f\t
55         %d", i, projectA_CF(i), pv_10(i), pvcf_A(i)
56     ))
57 end
58 mprintf("\n\n    Project B")
59 mprintf("\n    Year\tCash inflows (CF)      PV@10percent
60         \tPVCF")
61 for i=1:5
62     mprintf("\n    %d\t    %d\t        %.3f\t
63         %d", i, projectB_CF(i), pv_10(i), pvcf_B(i)
64     ))
65 end
66 mprintf("\n\n    Profitability Index for Project A: %.
67         .2f", PI_A)
68 mprintf("\n    Profitability Index for Project B: %.
69         .2f", PI_B)
70 if PI_A > PI_B then
71     mprintf("\n    Project A proposal is accepted
72         because its profitability index is more")
73 else
74     mprintf("\n    Project B proposal is accepted
75         because its profitability index is more")
76 end
77
78 //Output
79 //
80 //    Particulars          Project A          Project B
81 //    Initial Investment    30000            50000
82 //    (in rupees)
83 //
84 //    Estimated life        5                5
85 //    (in years)
86 //
87 //    Scrap value           2000            4000
88 //    (in rupees)
89 //

```

```

82 // Year Project A CF Project B CF
83 // 1 10000 40000
84 // 2 15000 30000
85 // 3 8000 10000
86 // 4 6000 5000
87 // 5 4000 4000
88 //
89 // Project A
90 // Year Cash inflows (CF) PV@10percent PVCF
91 // 1 10000 0.909 9090
92 // 2 15000 0.826 12390
93 // 3 8000 0.751 6008
94 // 4 6000 0.683 4098
95 // 5 4000 0.621 2484
96 //
97 // Project B
98 // Year Cash inflows (CF) PV@10percent PVCF
99 // 1 40000 0.909 36360
100 // 2 30000 0.826 24780
101 // 3 10000 0.751 7510
102 // 4 5000 0.683 3415
103 // 5 4000 0.621 2484
104 //
105 // Profitability Index for Project A: 1.14
106 // Profitability Index for Project B: 1.49
107 // Project B proposal is accepted because its
    profatibility index is more

```

---

# Experiment: 9

## Average rate of return

### Scilab code Solution 9.9 9

```
1 // Average rate of return
2 //OS:Windows 10
3 //Scilab 5.5.2
4
5 clear;
6 clc;
7 close;
8
9 //Concept Information
10 //ARR = (Average annual profits after taxes /
11 //           Average Investment original investment) * 100
12 //Average investment = 1/2 (Total investment - scrap
13 //                           value)
14
15 //Given
16 projectA_investment = 500000          //in rupees
17 projectA_scrapvalue = 20000           //in rupees
18 profit_A = [40000,60000,70000,50000,20000] //in
19 rupees
20
21 //Solution
```

```

19 total_earnings = sum(profit_A)
20 N = length(profit_A)
21 average_earnings = total_earnings / N
22 average_investment = 1/2 * (projectA_investment -
    projectA_scrapvalue) + projectA_scrapvalue
23 average_rateofreturn = (average_earnings /
    average_investment) * 100
24
25 // Result
26 mprintf("\n Total Earnings: %d rupees",
    total_earnings)
27 mprintf("\n Average Earnings: %d rupees",
    average_earnings)
28 mprintf("\n Average Investment: %d rupees",
    average_investment)
29 mprintf("\n Average Rate of Return: %.2f percent",
    average_rateofreturn)
30
31 //Output
32 //
33 // Total Earnings: 240000 rupees
34 // Average Earnings: 48000 rupees
35 // Average Investment: 260000 rupees
36 // Average Rate of Return: 18.46 percent

```

---

# Experiment: 10

## Capital Budgeting

Scilab code Solution 10.10 10

```
1 //Capital Budgeting
2 //Net Present Value – Project Selection
3 //OS:Windows 10
4 //Scilab 5.5.2
5
6 clear;
7 clc;
8 close;
9
10 //Given
11 projectA_investment = 60000      //in rupees
12 projectB_investment = 80000      //in rupees
13 estimatedlife_A = 7            //in years
14 estimatedlife_B = 7            //in years
15 scrapvalue_A = 9000          //in rupees
16 scrapvalue_B = 11000          //in rupees
17 pv_10 = [0.909,0.826,0.751,0.683,0.621]           //
   discount rate of 10%
18 projectA_CF = [20000,19000,18000,12500,9000]
19 projectB_CF = [68000,42000,15000,14000,11000]
20 projectA_CF($+1) = scrapvalue_A //last value is
```



```

projectA_CF(i), projectB_CF(i))
53 end
54 mprintf("\n\n Project A")
55 mprintf("\n Year\tCash inflows (CF) PV@10percent
      \tPVCF")
56 for i=1:5
57     mprintf("\n %d\t %d\t %.3f\t
      %d", i, projectA_CF(i), pv_10(i), pvcf_A(i))
58 end
59 mprintf("\n\n Project B")
60 mprintf("\n Year\tCash inflows (CF) PV@10percent
      \tPVCF")
61 for i=1:5
62     mprintf("\n %d\t %d\t %.3f\t
      %d", i, projectB_CF(i), pv_10(i), pvcf_B(i))
63 end
64 mprintf("\n\n NPV for Project A: %.2f", NPV_A)
65 mprintf("\n NPV for Project B: %d", NPV_B)
66
67 if NPV_A > NPV_B then
68     mprintf("\n Project A is accepted as its NPV
      is higher")
69 else
70     mprintf("\n Project B is accepted as its NPV
      is higher")
71 end
72
73 //Output
74 // Particulars Project A Project B
75 //
76 // Initial Investment 60000 80000
77 // (in rupees)
78 //
79 // Estimated life 7 7
80 // (in years)
81 //

```

```

82 // Scrap value           9000      11000
83 // (in rupees)
84 //
85 // Year   Project A CF    Project B CF
86 //   1     20000          68000
87 //   2     19000          42000
88 //   3     18000          15000
89 //   4     12500          14000
90 //   5     9000           11000
91 //
92 // Project A
93 // Year   Cash inflows (CF)      PV@10percent   PVCF
94 //   1     20000            0.909          18180
95 //   2     19000            0.826          15694
96 //   3     18000            0.751          13518
97 //   4     12500            0.683          8537
98 //   5     9000             0.621          5589
99 //
100 // Project B
101 // Year   Cash inflows (CF)      PV@10percent   PVCF
102 //   1     68000            0.909          61812
103 //   2     42000            0.826          34692
104 //   3     15000            0.751          11265
105 //   4     14000            0.683          9562
106 //   5     11000            0.621          6831
107 //
108 // NPV for Project A: 1518.50
109 // NPV for Project B: 44162
110 // Project B is accepted as its NPV is higher

```

---